

ITEM NO.28
GROSS STATION WITH COMPLETE ACCESSORIES
PART- I
TECHNICAL EVALUATION

(All evaluation parameters defined below are mandatory for compliance)

Sr No.			M/S UNI BRAND	M/S	M/S	Remarks
1	Complete item with accessories and Optional	Yes / No	Yes			
2	Affidavit from Bidder (as per Supplier Declaration Template)	Yes / No	Yes			
3	Bid Validity	Yes / No	90 days			
4	Delivery Period	Yes / No	14 to 20 weeks			
5	Compliance of Warranty as per tender	Yes / No	1 Year			
	Remarks	(Eligible/ Not Eligible for further evaluations of PART-II)	Eligible			

PART - II

PRODUCT EVALUATION

(All evaluation parameters defined below are mandatory for compliance.)

Sr No.	SPECIFICATION COMPLIANCE /EVALUATION PARAMETERS					
	Equipment Manufacturer		Kugel Medical			
	Country of Manufacturer/Origin		Germany			
	Model Number		GP-1500			
	Place of Manufacturer		Germany			

	Compliance with defined quality standards (FDA 510k, MDD, JpMHLW, CE Mark for medical equipment)	Tech. Acceptable /Not (Mention the reasons)				
	Specifications/Sample Evaluation:	Eligible / Not Eligible				
	Technical Eligibility of Product:	Eligible / Not Eligible				
	Technical Eligibility of Firm:	Responsive/ Substantially Responsive/Non Responsive				
	BID STATUS:					
	Technical Comparison					
	Specification					
	Technical Specification					
	Height adjustable feature	X				
	Electrical Height adjustable from 850up to 100 mm (electro Hydraulic)	X				
	Dual Workstation With Extra- large Work Surface	✓				
	Structure made entirely of highly- polished stainless	✓				
	Steel(material code no. 1.4301-ANSI 304)	✓				
	Railing System for easy installation of a variety of	✓				
	Mixers tap With Pull-Out rinsing hose	✓				
	Extra- sturdy perforated metal sheet inserts	✓				

(1 Approx. 10 mm below rim level) D17 T60 Perforation	✓				
Integrated sprinkler system	✓				
Installed underneath	✓				
Exhaust air duct blowing from bottom to top	✓				
Dimensions table W/D/H: 1500x800x850/1950mm	✓				
Dimensions illumination W/D/H: 1500x300x1100 mm	✓				
Exhaust air capacity: 1 approx. 750m ³ /h	✓				
Material: Stainless steel(1.4301-ANSI 304	✓				
Perforated Working area: 1 approx. 960x 670 mm	✓				
Cold/warm water connection: DN 1	✓				
Accessories for gross station					
Active Carbon filter 700 m ³ /h	✓				
Side handrails					
On the illumination of the Grossing table	✓ ✓ (Built in)				
Magnifier with Illumination	(Optional)				
Mounted on a flexible holding device included cable and main switch	✓ (opt)				

	Formalin dispensing System & Sensor Level for Container – Incl. assembling.					
	1 PC electrical diaphragm Pump for formalin, adjustable discharge flow from approx. 0,	0.5 to 1 /min				
	5 to 1 /min	✓				
	Power foot switch	✓				
	1 PC 10 liter container	✓				
	For the formalin container incl. Connection to the PE container acoustical alarm device container full.	✓				
	Magnetic bar for instruments					
	Made of massive, black ABS plastic with 2 magnetic bars	✓				
	Length approx. 300 mm, width 40 mm	✓				
	Polyethylene cutting board – white color					
	PE-Board 20 mm thick, 4 small feet's approx. 15 mm height	✓				
	Dimension: W/D/H 500 x 400mm	✓				
	Monitor Holder					
	For side handrails	✓				

A height adjustable holding plate for a monitor holder for fixation at the side handrail of the Draft Crossing Table.	✓				
Keyboard holder for side handrails	✓				
Foot Switch for water tap.					
Water tap can be easily used through a electrical foot switch.	✓				
Flexible holding Device for Microphone	✓				
Flexible holding device with a stainless holder for the speech mike microphone unit is to be installing on the railing system.	✓				
Dictaphone Philips 730 with Swiveling Holder for Dictaphone and cassettes for Dictaphone Philips 730	✓				
Record and reply with digital display, record time 2 x 15 min. incl. footwhitch for record, replay, fast forward, fast backward and hand microphone	✓				
Ruler with cm graduation					

	On the top of table (user side) engraved, sm and mm graduation length approx. 1000 mm	✓				
	Paper dispenser					
	Stainless steel paper dispenser for approx. 300 sheets	✓				
	Canon Power Shot G 15 with Camera Holder KA – H – 400 for					
	12 Mega Pixel Digital Camera	✓				
	Heavy Duty Dispenser DIS. 65 – M – V.					
	Stainless steel rotating shredder with bolted connection for corrosion protection. Dispenser is connected to the exhaust system of the table. Stamped stainless steel 360° Swivel lugs.	✗				
	Large engineered resin grind chamber won't corrode.	✓				
	Overload protection. Quick lock mounting assembly for faster easier installation and maintenance.	✓				

Certificate : FDA(USA)CE/ISO13485	CE/ISO				
Country of Manufacture : USA/WESTERN EUROPE/JAPAN	Germany				

The grossing station quoted by Uni Brand International meets the technical specifications level required by the histopathologist in cantonment general hospital.

The instrument with shortlisted accessories will be suitable & accepted.



DR. MAWISH JAVED
MBBS, FRCPS
Consultant Histopathologist
Cantt General Hospital Rwp

Please find attached the necessary required accessories detail below --

- (1) Centimeter Scale LIN-UES
- (2) Formalin dispensing system
- (3) Magnetic Box for Instrument
- (4) Polyethylene cutting board.
- (5) Paper dispenser
- (6) Holder for Glove container
- (7) Railing system for illumination.
- (8) Flexible splash Guard FSS-RS-500
- (9) Camera holder mounted to Railing
- (10) Digital camera
- (11) Swiveling holder for Dictaphone
- (12) Dictaphone
- (13) Measuring device for
- (14) Display for Air flow
- (15) Magnifier with device illumination.